



A division of CHCOR International, Inc.

SPENCE ENGINEERING COMPANY, INC. 150 GOLDENHAM ROAD, WALDEN, NY 12586-2035


THERMOSTAT BULBS




Style No. 700 and 800—Plain Bulb with 1" Union Connection.




Style No. 702—Fined Bulb with Wall Mounting Bracket. For space heating.




Style No. 703—Fined Bulb with Duct Mounting Flange. For forced warm air heating.




Style No. 704—Plain Short Bulb with 1-1/4" Union Connection. For installations where depth is limited.




Style No. 706—Plain Bulb with 1" Union Connection and 1/4" OD Bendable Extension. Dimension "L" must be specified.




Style No. 708—Plain Bulb with Wall Mounting Bracket. Used for space heating when dust is a problem.




Style No. 711—Bulb Lead Covered. Chemical lead covering homogeneously bonded to bulb and to lead sheathing on capillary.




727 Well—Used with 704 Bulb




728 Well—Used with 700 and 800 Bulb




729 Well—Used with 701 and 801 Bulb




Style No. 712—Plain Bulb with 1/4" OD Bendable Tubing Cover for Capillary. Used in open tanks or where a mounting connection is not required.




Style No. 713—Plain Bulb with Duct Mounting Flange. For forced warm air heating when dust is a problem.




Style No. 701 and 801—Large Plain Bulb with 1-1/4" Union Connection. Used on pilots having more than 30 feet of flexible tubing and with dial thermometer having 20 to 120°F range.



Style No. 731—Plain Bulb with Adjustable Extension. Used in oil storage tanks or wherever it is desirable to change position of bulb. Dimension "E" must be specified.



Style No. 740—Sanitary Bulb for Milk Heaters. Threaded to fit standard No. 23A Thermometer Ferrule. Stainless Steel Bulb and Flexible Tubing.



Style No. 732—Special Bulb with 12" Adjustable Extension.